## 2018 CERTIFICATION

Consumer Confidence Report (CCR)

		undence Report (CCR)
	NORTH LUMBERTON UTILITY	(BAXTERVILLE/NORTH LUMBERTON
	ruone (	Water System Name
	PWS	ID# 0370007
Th	Dist PWS ID #5 for all Commu	inity Water Systems included in this CCR
rec	Consumer Confidence Report (CCR) to its customers eaust be mailed or delivered to the customers, published in quest. Make sure you follow the proper procedures whe hill, a copy of the CCR and Certification to the MSDH.	ch Community Public Water System (PWS) to develop and distribute ch year. Depending on the population served by the PWS, this CCR a newspaper of local circulation, or provided to the customers upon a distributing the CCR. You must email, fax (but not preferred) or
-8	Customers were informed of availability of CCR	by (Amach and Court apply)
	☐ Advertisement in local page	by: (Attach copy of publication, water bill or other)  (Attach copy of advertisement)
	☐ On water bills (Attach copy	(Allach copy of advertisement)
	Final message (F 2)	of bill)
	☐ Email message (Email the n	
		NO
X	The major mich, or 13 year	II Adam
	methods used US POSTAL SERVICE	or other direct delivery Must specify other direct delivery
	2010	
	CCR was distributed by Email (Email MSDH a co	Date Emailed: /2019
	□ As a URL	Date Emailed: /2019
	☐ As an attachment	(Provide Direct URL)
	☐ As text within the body of the	email message
11	CCR was published in local newspaper. (Attach co.	man of makes a con-
	Name of Newspaper:	py of published CCR or proof of publication)
	Date Published:	
	CCR was posted in public places. (Attach list of loc	
5. c	CCR was posted on a publish assess the	cations) Date Posted: / /2019
	CCR was posted on a publicly accessible internet si	te at the following address:
hereb hove a nd con Tricali	IFICATION  y certify that the CCR has been distributed to the custom and that I used distribution methods allowed by the SDWA rect and is consistent with the water quality provitoring data the Bureau of Public Water Supply  Add Desirent Mayor, Owner, Admin Contact, etc.	ers of this public water system in the form and manner identified. I further certify that the information included in this CCR is true a provided to the PWS officials by the Mississippi State Department
	Submission options (Se	lect one method (INLY)
	Mail: (U.S. Postal Service) MSDH. Bureau of Public Water Supply	Email: water reports@msdh.ms.gov
	P.O. Box 1700 Jackson, MS 39215	Fua: (601) 576 - 7800  Not a preferred method due to poor clarity
		The same of the sa

CCR Deadline to MSDH & Customers by July 1, 2019!

MSDH ID #0370007 JULY, 2019 Volume 15, Issue 1

### Consumer Report

NORTH LUMBERTON/ BAXERVILLE

#### Inside this Issue

- 1
- > ANNUAL MEETING:
- Water Loss
- New Late Notice
- Call 811 for locates
- Automatic Pay
- Capacity Assessments
- About our Association
- 2
- About our Assoc. (cont.)
- About our Water
- Report on Drinking Water
- 3

>2018 WATER ANALYSIS TEST RESULTS. > Definitions.

NOTE:

Member Voters Ballot inside

#### BACK COVER:

- Message about lead in drinking water.
- Source Water Assessment

## Notice of Annual Meeting of Members:

Dear Member;
The Annual Meeting of the Members of North Lumberton Utility will be held at the Utility Office on Tuesday, September 9<sup>th</sup>, 2019 at 5:00 pm. We encourage all Members to attend. The following business will be acted upon along with any matters that come up on agenda.

- 1) Call meeting to order.
- Counting and recording of ballots for election of Board of Directors.
- 3) Nomination and election of Officers.
- Approval of minutes of the previous meeting and any reports from Officers.
- 5) Address any old business and new business.
- 6) Adjournment.

Note: A ballot for election of Board of Directors has been included as an insert in this report. Please vote your choice and return ballot to the water office no later than September 8th, 2019.

#### Water Loss

At North Lumberton Utility we are always trying to prevent excessive water loss. We ask all our members to help us in this effort by reporting any suspicious water you may see. We greatly appreciate all the leaks that our members report each year. Thank You!

A NEW LATE NOTICE CARD is now being sent out for past due accounts. The card is just like the billing card but is red in color. It shows what is owed and the disconnect date.

AUTOMATIC PAYING OF

Water bills is now available. Any of our member customers who would prefer to have their water

bill electronically drafted can contact us to set up your water bill payment by automatic pay.

811 Locate service

Calling for locates before you excavate in Mississippi is now required by law. Mississippi One Call has made it much easier to reach their call center by simply dialing 811.

Capacity Assessment:

The April 2019 Capacity assessment and inspection by the Ms. State Board of Health have been completed. At the time of the inspection the system was sited as being well maintained and operating properly. The capacity assessment is based on a rating from 0 to 5 for the Technical, Managerial and Financial Capacities of the Water System. 0 is the lowest rating and 5 being the highest rating. For the North Lumberton/Baxterville and Springhill Systems ratings are; Technical=5.0, Managerial=5.0, and Financial=5.0, (overall rating =5.0 / 5.0)

Pearl River Utility Authority Capacity Assessment was not available at the time of this report.

About Our Association:

North Lumberton Utility is an equal opportunity service provider. We are located at 410 North Front Street; Lumberton, Ms 39455. The phone # is 601-796-4941. Our staff consists of Deborah Norton Office Manager; CharlesMartin,Operator/Manager ,David Cox, Greg W. Martin and Chris Longino Operators. Sarah Davis reads our water meters. The Board of Directors are Jerry Smith, President; Dale Hanna,

Vice President; Joey Walker, Sec./Treasurer; Area Representatives are Loray Jordan, David Earl Johnson, Joe Keith and Freddie Entrekin.

About our Water

North Lumberton Utility currently pumps water from Two aquifers with wells located in three sites within our service area. Three wells located at Baxterville pump water from a local aquifer called Hattiesburg aquifer. This aquifer is approximately 200 feet deep. The water quality is relatively good in that it does not contain any appreciable amounts of minerals such as iron, or manganese, which can cause color and staining problems. However, due to a concentration of CO2 the pH of this water is around 5.5 to 6.0 causing it to be corrosive. To correct the corrosive nature of the water, we use a treatment method that includes aeration to remove the CO2 followed by the introduction of hydrated lime to raise the pH to around 8.9. Another well is located on Little Black Creek Road. This well pumps from a major aquifer called the Miocene aquifer and is approximately 850 feet. The water from this well contains an appreciable amount of iron. Because of the iron, it is necessary to filter this water using a pressure filter. The filtration process requires that we raise the pH to around 8.5 using sodium carbonate. After the pH has been adjusted, Potassium Permanganate is used to oxidize the iron out of the water for filtering. The filter is then backwashed following the filtration of a set amount of water.

We have currently included orthophospate to attempt to bind any iron remaining after filtration. We also have a well located on Springhill Road in Pearl River County that pumps from the Miocene aquifer. The water from this well has a concentration of Manganese that will not remain in solution. Like iron, manganese requires filtration. We also are adding orthophosphate at this plant. All of our sites include the use of gaseous Chlorine to maintain a residual disinfectant.

The Pearl River Utility
Authority's well is approximately
600 ft. deep with a capacity of
700 gallons per minute.
Treatment consist of aeration
and Lime for corrosion control
and gaseous chorine for residual
disinfection. Customers in the
Poplarville area of our water
system are served by water
purchased wholesale from the
Pearl River County Utility
Authority.

# Report On Our Drinking Water:

The year 2018 water analysis for your water are recorded on the following page of this report.

North Lumberton Utility has met all E.P.A. and State Board of Health drinking water standards for the year 2018. All detects are well below the standards set forth. The results for the Pearl River County Utility Authority can be viewed at the Mississippi State Dept. of Health website or at our office.

Some persons can be more vulnerable to certain contaminates than others. Persons with Immune-

compromised conditions such as HIV/AIDS, organ transplant recipients, chemo-patients, the elderly or infants should seek advise from their health care provider concerning their drinking water. EPA's Center for Disease Control (CDC) offer guidelines concerning drinking water through the Safe Drinking Water Hotline(1-800-426-4791). Expect all drinking water whether bottled or tap to contain trace amounts of contaminants. This does not necessarily indicate that the water poses a health risk to the individual drinking it. The standards set forth in the Safe Drinking Water Act have been set to reflect Maximum Contaminant Levels(MCL's) well below any known or expected risk to health. Additional information may be obtained by contacting the staff at our office or Ms. State Dept. of Health, Water Supply, or by logging in to http://www.msdh.state.ms.us/wat ersupply/index.htm

## Remember to conserve:

Potable drinking water is a limited resource. We all need to do our best to protect and conserve our water. Greater demands along with natural and environmental issues have certainly placed more stress on our drinking water. Let us all try to REMEMBER TO CONSERVE every time we go to use water.

2

Contaminant  L.Total Coliforn	MCL	G MCL	T RESULT YOUR WATER	S for 370007 SAMPLE DATE	(North	Lumberton/Baxterville) year 2018 Likely Source of Contamination
Bacteria	0	</td <td>0 positiv</td> <td>e 2018</td> <td>NC</td> <td>presence of coliform bacteria in SBC - C.</td>	0 positiv	e 2018	NC	presence of coliform bacteria in SBC - C.
Fecal coliform     and E.coli	0	5	0 positiv	re 2018	NO	A routine sample and repeat county
Radioactive	Contami	inant pC	i/l = Picoci	ries Per Lite	22%	and animal fecal waste
<ol> <li>Gross Alpha(pCi/l)</li> </ol>	0	15	1.1 +/-0.5	1/21/13*		A TO CARLOTTON AND TO A CONSTRUCTION OF A STATE OF THE ST
4. Radium 226/228(pCi/l)	0	50	< 0.424	1/21/13*	NO NO	Decay of Natural and man-made deposits Erosion of natural deposits
Inorganic Co	ntomino	-4-				
5.antimony(mg/l)	0.006					
	0.000	0.006	< 0.0005	09/15/14*	NO	Discharge from petroleum refineries: fire retardants; ceramies; electronies; solder
6. Arsenic(mg/l)	NA	0.050	0.0021	09/15/14*	NO	Erosion of natural denosits: runoff from
7. Barium(mg/l)	2.0	2.0	0.0238	09/15/14*	NO	electronics production wastes Discharge of drilling wastes discharge driving drilling wastes discharge drive driving drivi
8. Beryllium(mg/l)	V.004	0.004	< 0.0005	09/15/14*	NO	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits  Discharge from metal refineries and a state of the state
9. Cadmium(mg/l)	0.005	0.005	< 0.0005	09/15/14*		Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense industries
10.Chromium(mg/l	0.10	0.01	< 0.0005	09/15/14*	NO	Corrosion of galvanized pipes; crosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints
11. cyanide(mg/l)	0.200	0.200	0.015	08/14/12*	75-01087	and pulp mills; erosion of natural deposits
12. Fluoride(mg/l)	4.0	4.0	0.167	09/15/14*	NO	Discharge from plastic and fertilizer factories; Discharge from steel and metal
13. Mercury(mg/l)	0.002	0.002	< 0.0005	09/15/14*	NO	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
15. Selenium(mg/I)	0.050	0.050	< 0.0005	09/15/14*	110	from landfills: runoff from assal
17. Thallium(mg/l)	0.5	0.002	<0.0005	09/15/14*	NO	discharge from petroleum and metal refineries; erosion of natural deposits;
18. Nitrate (as Nitrogen)(mg/l)	10	10	<0.67	02/27/18	NO I	eaching from ore-processing sites; discharge from electronics, glass, and drug
9. Nitrite (as	1	1	G		NO F	tunoff from fertilizer use; leaching from septic tanks, sewage; erosion of atural deposits
litrogen)(mg/l) 0. Lead (ppb)		AL= 15	90 <sup>th</sup> ~-0.00	02/27/18	NO F	sunoff from fertilizer use; leaching from septic tanks, sewage; erosion of
I. Copper(ppb)		ΛL=1.3	20 samples	12/31/18	NO C	orrosion of household plumbing systems, crosion of natural deposits
Contaminant	MCL	MCLG	20 samples Your water	12/31/18		orrosion of household plumbing systems; erosion of natural deposits; aching from wood preservatives
THM SM1 (ppb)	80			Range	Sample	year Violation Source of Contaminant
IAA5 SM1 (ppb)	60	N/A N/A	4.6	45-110	201	
			6.0	25-78	201	8 NO Byproduct of drinking water disinfection
SINFECTION BY-I	PRODUCTS					-
Contaminant I Chlorine mg/I	1.09 – 2.1			Date Violat		Source of contaminant
0.	2.1	0 1.8	mg/l 2	2018 None		Water additive used to control microbes

## TERMS AND DEFINITIONS

MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. MCLGs: Maximum Contaminant Level Goal is the level of a contaminant in drinking water below which thereis no known or expected risk to health. AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which water systems must follow. ND: No Detect. RAA: Running Annual Average Report for Trihalomethanes and Haloacetic Acids (TTHM/HAA).

North Lumberton Utility Assoc. An equal opportunity service provider. 410 North Front Street Lumberton, Ms.

39455

PRESORT STD. US POSTAGE PAID HATTIESBURG, MS. 39402 PERMIT NO, 219

## Message about Lead and Copper

Recent news events have highlighted health issues associated with lead and copper contamination. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from material and components associated with service lines and home plumbing. When your water has been sitting for several hours you can minimize the potential for lead exposure by flushing your tap for 30 seconds or up to 2 minutes before using the water for dinking or cooking purposes.

SOURCE WATER ASSESSMENTS Rankings are as follows:

(id# 550057) Springhill Well ranking = Moderate

(id# 370007-01) North Lumberton Well ranking = Moderate

(id# 370007-04,05,06) Baxterville Wells ranking = Higher

BACK COVER